## INFORMATION DISCLOSURE \_STATEMENT BY APPLICANT

SHEET 1 OF 7

	PTO/SB/08 Equivalen
Application No.	10/633,367
Filing Date	August 1, 2003
First Named Inventor	Paul V. Goode
Art Unit	1743
Examiner	Wallenhorst, Maureen
Attorney Docket No.	DEXCOM.016A
	Filing Date First Named Inventor Art Unit Examiner

AN 2778

			U.S. PATENT D	DOCUMENTS	C 40 L C 4 L
TATRICE S	Cite No.	Document Number Number - Kind Code (if known) Example: 1,234,567 B1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
	1.	2005-0027468 A1	02/03/2005	Goode, et al.	
	1.	2005-0027463 A1	02/03/2005	Goode, et al.	
	1.	2005-0027181 A1	02/03/2005	Goode, et al.	
	4.	US3964974	06-22-1976	Banauch, et al.	
	5.	US4024312	05-17-1977	Korpman, Ralf	
	6.	US4215703	08-05-1980	Willson, James K. V.	
	7.	US4259540	03-31-1981	Sabia, Raffaele A.	
	8.	US4663824	05-12-1987	Kenmochi, Kazuei	
	9.	US4871440	10-03-1989	Nagata, et al.	
	10.	US5067491	11-26-1991	Taylor, et al.	
	11.	US5285513	02-08-1994	Kaufman, et al.	
	12.	US5304468	04-19-1994	Phillips, et al.	
	13.	US5310469	05-10-1994	Cunningham, et al.	
	14.	US5330521	07-19-1994	Cohen, Donald M.	
	15.	US5342409	08-30-1994	Mullett, Keith R.	
	16.	US5343869	09-06-1994	Pross, et al.	
	17.	US5390671	02-21-1995	Lord, et al.	
	18.	US5411647	05-02-1995	Johnson, et al.	
	19.	US5484404	01-16-1996	Schulman, et al.	
	20.	US5491474	02-13-1996	Suni, et al.	
	21.	US5568806	10-29-1996	Cheney, et al.	
	22.	US5586553	12-24-1996	Halili, et al.	

Evaminer Si	ianature		Date Consider

PTO/SB/08 Equivalen

# INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Multiple sheets used when necessary)
SHEET 2 OF 7

	P10/SB/08 Equivalent
Application No.	10/633,367
Filing Date	August 1, 2003
First Named Inventor	Paul V. Goode
Art Unit	1743
Examiner	Wallenhorst, Maureen
Attorney Docket No.	DEXCOM.016A

23.	US5590651	01-07-1997	Shaffer, et al.	
24.	US5624537	04-29-1997	Tumer, et al.	
25.	US5660163	08-26-1997	Schulman, et al.	
26.	US5779665	07-14-1998	Mastrototaro, et al.	
27.	US5851197	12-22-1998	Marano, et al.	
28.	US5917346	06-29-1999	Gord, John C.	
29.	US5931814	08-03-1999	Alex, et al.	
30.	US5957903	09-28-1999	Mirzaee, et al.	
31.	US6001471	12-14-1999	Bries, et al.	
32.	US6093172	07-25-2000	Funderburk, et al.	
33.	US6103033	08-15-2000	Say, et al.	
34.	US6115634	09-05-2000	Donders, et al.	
35.	US6121009	09-19-2000	Heller, et al.	
36.	US6134461	10-17-2000	Say, et al.	
37.	US6167614	01-02-2001	Tuttle, et al.	
38.	US6189536	02-20-2001	Martinez, et al.	
<b>3</b> 9.	US6206856	03-27-2001	Mahurkar, Sakharam D.	
40.	US6208894	03-27-2001	Schulman, et al.	
41.	US6212416	04-03-2001	Ward, et al.	
42.	US6214185	04-10-2001	Offenbacher, et al.	
43.	US6259937	07-10-2001	Schulman, et al.	
44.	US6293925	09-25-2001	Safabash, et al.	
45.	US6368274	04-09-2002	Van Antwerp et al.	
46.	US6405066	06-11-2002	Essenpreis, et al.	

۱.	 	0-1-0

### INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Multiple sheets used when necessary) SHEET 3 OF 7

	P10/SB/08 Equivalent
Application No.	10/633,367
Filing Date	August 1, 2003
First Named Inventor	Paul V. Goode
Art Unit	1743
Examiner	Wallenhorst, Maureen
Attorney Docket No.	DEXCOM.016A

47.	US6406066	06-18-2002	Uegane, Masayuki	
48.	US6413393	07-02-2002	Van Antwerp et al.	
49.	US6424847	07-23-2002	Mastrototaro, et al.	
50.	US6481440	11-19-2002	Gielen, et al.	
51.	US6498043	12-24-2002	Schulman, et al.	
52.	US6560471	05-06-2003	Heller, et al.	
53.	US6569521	05-27-2003	Sheridan, et al.	
54.	US6585763	07-01-2003	Keilman, et al.	
55.	US6607509	08-19-2003	Bobroff, et al.	
56.	US6613379	09-02-2003	Ward, et al.	
57.	US6642015	11-04-2003	Vachon, et al.	
58.	US6645181	11-11-2003	Lavi, et al.	
59.	US6648821	11-18-2003	Lebel, et al.	
60.	US6654625	11-25-2003	Say, et al.	
61.	US6683535	01-27-2004	Utke, Gene H.	
62.	US6694191	02-17-2004	Starkweather, et al.	1
63.	U\$6695860	02-24-2004	Ward, et al.	
64.	US6699218	03-02-2004	Flaherty, et al.	
65.	US6721587	04-13-2004	Gough, David A.	
66.	US6731976	05-04-2004	Penn, et al.	
67.	US6740075	05-25-2004	Lebel, et al.	
68.	US6810290	10-26-2004	Lebel, et al.	
69.	US2003188427A1	10-09-2003	Say, et al.	
70.	US2003199744A1	10-23-2003	Buse, et al.	

Examiner Signature	 Date Considered	

### INFORMATION DISCLOSURE. STATEMENT BY APPLICANT (Multiple sheets used when necessary)

SHEET 4 OF 7

	F10/3B/08 Equivalent
Application No.	10/633,367
Filing Date .	August 1, 2003
First Named Inventor	Paul V. Goode
Art Unit	1743
Examiner	Wallenhorst, Maureen
Attorney Docket No.	DEXCOM.016A

7	1. US2004010207A1	01-15-2004	Flaherty, et al.	
7	2. US2004015134A1	01-22-2004	Lavi, et al.	
7	3. US2004030285A1	02-12-2004	Lavi, et al.	
7	4. US2004030294A1	02-12-2004	Mahurkar, Sakharam D.	
7	5. US2004039406A1	02-26-2004	Jessen, Jonh W.	
7	6. US2004068230A1	04-08-2004	Estes, et al.	
7	7. US2004186365A1	09-23-2004	Jin, et al.	
7	8. US2004219664A1	11-04-2004	Heller, et al.	
7	9. US6212424	04-03-2001	Robinson, Mark Ries	
8	0. US6544212	04-08-2003	Galley, et al.	
	us6574490	06-03-2003	Abbink, et al.	
8	2. US6575905	06-10-2003	Knobbe, et al.	

			OREIGN PATE	IT DOCUMENTS		
Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	т¹
	83.	WO 95/07109	03-16-1995	PCT		
	84.	EP776628A2	06-04-1997	EPO		
	85.	WO03101862A1	12/11/2003	PCT		
	86.	EP995805A1	04-26-2000	Beuret, Pierre		
	87.	EP1077634B1	02-28-2001	Cygnus, Inc.		
	88.	EP1078258B1	02-28-2001	Cygnus, Inc.		
	89.	WO02082989A1	10-24-2002	Abbott Laboratories		

Examiner Initials	Cite No.	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T <sup>1</sup>
		Chia C. W. Saudek, C. D. Glucose sensors: toward closed loop insulin delivery. Endocrinol Metab Clin North Am 2004.	

90. 33, 175-95, xi

Examiner Signature

Date Considered

# INFORMATION DISCLOSURE STATEMENT BY APPLICANT

(Multiple sheets used when necessary)
SHEET 5 OF 7

Application No. 10/633,367
Filing Date August 1, 2003
First Named Inventor Paul V. Goode
Art Unit 1743
Examiner Wallenhorst, Maureen
Attorney Docket No. DEXCOM.016A

FOREIGN PATENT DOCUMENTS						
Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	т¹
	91.	Gross, Todd, "Letters to the Editor Re: Diabetes Technology & Therapeutics, 2000;2:49-56," Vol. 3, No. 1, p.130-131, 2001				
	92.	Huang, C., O'Grady, W.E.; Yeager, E. Electrochemical Generation of Oxygen. 1: The Effects of Anions and Cations on Hydrogen Chemiscrption and Aniodic Oxide Film Formation on Platinum Electrode, 2: The Effects of Anions and Cations on Oxygen Generation on Platinum Electrode, pp. 1-116, Aug. 1975.				
	93.	Malin, et al. Noninvasive Prediction of Glucose by Near-Infrared Diffuse Reflectance Spectroscopy. Clinical Chemistry, 15:9, 1651-1658, 1999				
	94.	Mastrotolaro, et al. 2003. Reproducibility of the continuous glucose monitoring system matches previous reports and the intended use of the product. Diabetes Care, 26:256; author reply 257.				
	95.	Reach, Gerard, "Letters to the Editor Re: Diabetes Technology & Therapeutics, 2000;2:49-56," Vol. 3, No. 1, p.129-130, 2001				
	96.	Schmidtke, D. W.; Heller, A. Accuracy of the one-point in vivo calibration of "wired" glucose oxidase electrodes implanted in ugular veins of rats in periods of rapid rise and decline of the glucose concentration. Anal Chem 1998, 70, 2149-2155				
	97.	Tamura, T., et al., "Preliminary study of continuous glucose monitoring with a microdialysis technique and a null method – a numerical analysis," Frontiers Med. Biol. Engng., 10:2:147-156 (2000).				
	98.	Updike et al. 1997. "Principles of long-term fully implanted sensors with emphasis on radiotelemtric monitoring of blood gluces from inside a subcutaneous breign body capable (FBC). In Fraser, D. M. (Ed.). Biosensors in the Body: Continuous in vivo Monitoring, Chap. 4, pp 117-137, Hobeken, N.J. John Williams.				
	99.	Valdes, et al. 2000. In vitro and in vivo degradation of glucose oxidase enzyme used for an implantable glucose biosensor. Diabetes Technol. Ther., 2:367-376.				
	100.	Wilkins, et al. 1995. Integrated implantable device for long-term glucose monitoring. Biosens. Bioelectron., 10:485-494.				
	101.	U.S. Patent Application No. 10/632,537 filed 08/01/03, Docket No. DEXCOM.024A.				
	102.	Abel, P. U.; von Woedlke, T. Biosensors for in vivo glucose measurement: can we cross the experimental stage. Biosens Bioelectron 2002, 17, 1059-1070				
	103.	Atanasov, P.; Yang, S.; Salehi, C.; Chindilis, A. L.; Wilkins, E.; Schade, D. Implantation of a refillable glucose monitoring- telemetry device. Biosens Bioelectron 1997, 12, 669-680				ing-
	104.	Bowman, L.; Meindl, J. D. The packaging of implantable integrated sensors. IEEE Trans Blomed Eng 1986, 33, 248-255				255
	105.	Cai, Q.; Zeng, K.; Ruan, C.; Desai, T. A.; Grimes, C. A. A wireless, remote query glucose biosensor based on a pH- sensitive polymer. Anal Chem 2004, 76, 4038-4043				
	106.	Cox, D. J.; Clarke, W. L.; Gonder-Frederick, L.; Pohl, S.; Hoover, C.; Snyder, A.; Zimbelman, L.; Carter, W. R.; Bobbitt, S.; Pennebaker, J. Accuracy of perceiving blood glucose in IDDM. Diabetes Care 1985, 8, 529-536				tt, S.;
	107.	El-Sa'ad, L.; Yates, D. Moisture Absorption by Epoxy Resins: the Reverse Thermal Effect. Journal of Materials Science 1990, 25, 3577-3582				ce
	108.	Feldman, B.; Brazg, R.; Schwartz, S.; Weinstein, R. A continuous glucose sensor based on wired enzyme technology – results from a 3-day trial in patients with type 1 diabetes. Diabetes Technol Ther 2003, 5, 769-779				-
	109.	Garg, S.; Schwartz, S.; Edelman, S. Sensor in Adults with Type I Diabete	Improved Glucos es. Diabetes Care	e Excursions Using an Implanta 2004, 27, 734-738	able Real-Time Continuous Gluce	ose

vaminar Signatura	Date Considered

### Application No. 10/633,367 INFORMATION DISCLOSURE Filing Date August 1, 2003 Paul V. Goode First Named Inventor STATEMENT BY APPLICANT Art Unit 1743 Examiner Wallenhorst, Maureen (Multiple sheets used when necessary) SHEET 6 OF 7 Attorney Docket No. DEXCOM.016A

FOREIGN PATENT DOCUMENTS						
Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	т¹
	110.	Gilligan, B. C.; Shults, M.; Rhodes, R. K.; Jacobs, P. G.; Brauker, J. H.; Pintar, T. J.; Updike, S. J. Feasibility of continuous long-term glucose monitoring from a subcutaneous glucose sensor in humans. Diabetes Technol Ther 2004, 6, 378-386				
	111.	Heller, A. Implanted electrochemical glucose sensors for the management of diabetes. Annu Rev Biomed Eng 1999, 1, 153-175				
	112.	Heller, A. Plugging metal connectors into enzymes. Nat Biotechnol 2003, 21, 631-2				
	113.	Hrapovic, S.; Luong, J. H. Picoamperometric detection of glucose at ultrasmall platinum-based biosensors: preparation and characterization. Anal Chem 2003, 75, 3308-3315				
	114.	Hunter, I., Jones, L., Kanigan, T., Brenan, C., Sanbol, L. Sosnowski, L. Minimally Invasive Glucose Sensor and Insulin Delivery System. MIT Home Automation and Healthcare Consortium 2000,				
	115.	Jeutter, D. C. A transcutaneous implanted battery recharging and biotelemeter power switching system. IEEE Trans Blomed Eng 1982, 29, 314-321				
	116.	Kang, S. K.; Jeong, R. A.; Park, S.; Chung, T. D.; Park, S.; Kim, H. C. In vitro and short-term in vivo characteristics of a Kel- F thin film modified glucose sensor. Anal Sci 2003, 19, 1481-1486				
	117.	Kraver, K.; Guthaus, M. R.; Strong, T.; Bird, P.; Cha, G.; Hoeld, W.; Brown, R. A mixed-signal sensor interface microinstrument. Sensors and Actuators A: Physical 2001, 91, 266-277				
	118.	March, W. F. Dealing with the delay. Diabetes Technol Ther 2002, 4, 49-50				
	119.	Mastrototaro, J. J. The MiniMed continuous glucose monitoring system. Diabetes Technol Ther 2000, 2 Suppl 1, S13-8				
	120.	McCartney, L. J.; Pickup, J. C.; Rolinski, O. J.; Birch, D. J. Near-infrared fluorescence lifetime assay for serum glucose based on alloohycocyanin-labeled concanavalin A. Anal Biochem 2001, 292, 216-221				
	121.	McGrath, M. J.; Iwuoha, E. I.; Diamond, D.; Smyth, M. R. The use of differential measurements with a glucose biosensor for interference compensation during glucose determinations by flow injection analysis. Biosens Bioelectron 1995, 10, 937-943				or for -943
	122.	Memoli, A.; Annesini, M. C.; Mascini, M.; Papale, S.; Petralito, S. A comparison between different immobilised glucoseoxidase-based electrodes. J Pharm Biomed Anal 2002, 29, 1045-1052				
	123.	Moatti-Sirat, D.; Capron, F.; Policut, V.; Reach, G.; Bindra, D. S.; Zhang, Y.; Wilson, G. S.; Thevenot, D. R. Towards continuous glucose monitoring: in vivo evaluation of a miniaturized glucose Sensor Implanted for several days in rat subcutaneous tissue. Diabetologia 1992, 35, 224-230				
	124.	Ohara, T. J.; Rajagopalan, R.; Heller, A. "Wired" enzyme electrodes for amperometric determination of glucose or lactate in the presence of interfering substances. Anal Chem 1994, 66, 2451-2457				ite in
	125.	Okuda, J.; Miwa, I. Mutarotase effect on micro determinations of D-glucose and its anomers with -D-glucose oxidase. Anal Biochem 1971, 43, 312-315				Anal
	126.	Patel, H.; Li, X.; Karan, H. I. Amperometric glucose sensors based on ferrocene containing polymeric electron transfer systems-a preliminary report. Biosens Bioelectron 2003, 18, 1073-6				
	127.	Pichert, J. W.; Campbell, K.; Cox, D for the coming age of continuous glu				ues
	128.	Quinn, C. A.; Connor, R. E.; Heller, biosensors. Biomaterials 1997, 18,		glucose-permeable hydrogel fo	or in situ coating of implantable	

Examiner Signature	Date Considered .
*Examiner: Initial if reference considered, whether or not of	citation is in conformance with MPEP 609. Draw line through citation if not

in conformance and not considered. Include copy of this form with next communication to applicant.

### INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Multiple sheets used when necessary)

SHEET 7 OF 7

			OREIGN PATE	NT DOCUMENTS			
Examiner Initials	Cite No.	Foreign Patent Document Country Code-Number-Kind Code Example: JP 1234567 A1	Publication Date MM-DD-YYYY	Name of Patentee or Applicant	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T¹	
	129.	Reach, G.; Abel, P.; Fischer, U. A Method for Evaluating in vivo the Functional Characteristics of Glucose Sensors.					
	130.	Service, R. F. Can sensors make a home in the body? Science 2002, 297, 962-3					
	<ul> <li>131, Shichiri, M.; Kawamori, R.; Yamasaki, Y.; Hakul, N.; Abe, H. Wearable artificial endocrine pancrease with needle-type glucose sensor. Lancet 1982, 2, 1128-1131</li> <li>132, Shichiri, M.; Kawamori, R.; Yamasaki, Y.; Hakui, N.; Asakawa, N.; Abe, H. Needle-type Glucose Sensor for Wearable Artificial Endocrine Pancreas. Book Implantable Sensors 1985, 197-210</li> <li>133, Sriyuthsak, M.; Cholapranee, T.; Sawadsafingkam, M.; Yupongchaey, N.; Jalwang, P. Enzyme-epoxy membrane based glucose analyzing system and medical applications. Biosens Biotection 1996, 11, 735-742</li> </ul>						
<ol> <li>Stemberg, R.; Barrau, M. B.; Gangiotti, L.; Thevenot, D. R.; Bindra, D. S.; Wilson, G. S.; Velho, G.; Froguel, P.; Reach, G. Study and development of multilayer needle-type enzyme-based glucose microsensors. Biosensors 1989, 4, 27-40</li> <li>Thome-Duret, V.; Aussedat, B.; Reach, G.; Gangnerau, M. N.; Lemonnler, F.; Klein, J. C.; Zhang, Y.; Hu, Y.; Wilson, G. S. Continuous glucose monitoring in the free-moving rat. Metabolism 1998, 47, 799-803</li> </ol>					G.		
					. S.		
	Tiemey, M. J.; Garg, S.; Ackerman, N. R.; Fermi, S. J.; Kennedy, J.; Lopatin, M.; Potts, R. O.; Tamada, J. A. Effect of 136. acetaminophen on the accuracy of glucose measurements obtained with the GlucoWatch biographer. Diabetes Technol Ther 2000, 2, 199-207					ol	
137, Trecrod, D. A Glimpse into the Future- Continuous Monitoring of Glucose with a Microfiber. Diabetes Interview 2002					12-		
138. Velho, G.; Froguel, P.; Stemberg, R.; Thevenot, D. R.; Reach, G. In vitro and in vivo stability of electrode potent needle-type glucose sensors. Influence of needle material. Diabetes 1989, 38, 164-171				stability of electrode potentials in			
	139.	Wang, J.; Liu, J.; Chen, L.; Lu, F. H 66, 3600-3603	ighly Selective Me	embrane-Free, Mediator-Free G	lucose Biosensor. Anal. Chem. 19	94,	
	140.	Wang, X.; Pardue, H. L. Improved n method. Anal Chem 1997, 69, 448	uggedness for me 2-4489	mbrane-based amperometric s	ensors using a pulsed amperometr	ric	
141. Ward, W. K.; Wood, M. D.; Troupe, J. E. Understanding Spontaneous Output Fluctuations of an Amperometric Gluco Sensor: Effect of Inhalation Anesthesia and Use of a Nonenzyme Containing Electrode. ASAIO Journal 2000, 540-5							
	142. Wientjes, K. J. C. Development of a glucose sensor for diabetic patients. 2000						
143. Wilkins, E.; Atanasov, P. Giucose monitoring: state of the art and future possibilities. Med Eng Phys 1995,					Med Eng Phys 1995, 18, 273-286		
	144.	Wood, W., et al., Hermetic Sealing	with Epoxy. Mech	nanical Engineering March 1990	, 1-3		

1701410:sad 050905

Examiner Signature /Robert Nasser/ Date Considered /Robert Nasser/